



Opta Minerals your source for Blast Cleaning Abrasives:

- Aluminum Oxide
- Blackblast - Coal Slag
- Chilled Iron Grit
- Corn Cobs
- Ebonygrit - Copper Slag
- International Garnet
- Garnet
- Glass Beads
- Greengrit - Crushed glass
- Plastic Media
- Powerblast XC - Staurolite
- Powerblast GS - Indian Garnet
- Super Steel Shot
- Super Steel Grit
- Sodium Bicarbonate (Soda Blasting)
- Ultrablast - Nickel Slag
- Walnut Shells
- Blast Cleaning Equipment

Glass Beads

Glass Bead is a versatile air-blasting media used in a variety of applications:

Finishing: Glass Bead blasting can be used on a wide range of materials, including metal, glass, plastic and rubber. The smaller the glass spheres, the smoother the surface; larger spheres produce a more textured finish

Cleaning: Glass Bead blasting removes/cleans foreign substances from the surface without a dimensional change to the surface. A wide range of bead sizes is available

Deburring: Glass Bead blasting removes burrs and feathered edges from parts in a precision operation. Corners and edges must be deburred with precision in order to assemble and operate properly. Glass Bead blasting guarantees that no base metal from the surface is removed

Peening: Peening with Glass Bead is a low-cost form of creating a uniform surface layer of compressed stress in alloy substances. Peening acts to combat stress cracks and corrosion, resulting in increasing the life of metal parts. The high degree of roundness of our Glass Bead media enhances the performance of stress-resistance processes



ADVANTAGES OF GLASS BEADS

- Wide range of grades available for different jobs and profiles
- Non-reactant; will not interfere with coatings
- No dimensional change to the surface, and no embedded contaminants or residue left on material
- Smoothly blends away surface defects and improves corrosion resistance
- No detectable crystalline silica

AVAILABLE SIZES AND GRADES

Type	Mesh
B13	170-325
B11	120-200
B10	100-170
B9	80-140
B8	70-100
B7	60-80
B6	50-70
B5	40-60
B4	30-40

Contact Us

Contact us today and let our experienced sales team help you find the right product to meet your needs. For more information please call us:
 Toll-free: 1-888-689-6661
 Tel: (905) 689-6661
 Email: info@optaminerals.com
www.optaminerals.com

TECHNICAL SPECIFICATIONS

Symbol	Name	Percentage
SiO ₂ (total)	(Silicon Dioxide - Total)	>99%

CHARACTERISTICS

Colour:	Colourless and transparent, with no visible bubbles or impurities
Bulk Density:	1.5 - 1.6 g/cm ³
Specific Gravity:	2.5
Grain Shape:	Round/Spherical
Solubility:	Insoluble
Hardness:	5.5 - 6.0 Mohs (see our hardness index)

PACKAGING

55 lb. (25 kg) bags, 40 bags (2,200 lb.) / pallet